## SAFETY DATA SHEET



## 1. Product and company identification

Product name Apha SP 220
Product code 456556-SG01

SDS no. 456556

Supplier BP Japan K.K. Industrial

1-11-12, Osaki, Shinagawa-ku, Tokyo 141-0032

East Tower 20F, Gate City Osaki

Tel No. 03-5719-7200 Fax No 03-5435-2273

EMERGENCY TELEPHONE Carechem: 3 4578 9341 (Operation time: 24 hrs)

NUMBER (from overseas; +81 3 4578 9341)

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/ Lubricant for industrial gears

mixture For specific application advice see appropriate Technical Data Sheet or consult our

company representative.

## 2. Hazards identification

GHS Classification Not classified.

**GHS** label elements

Signal word No signal word.

Hazard statements Wo known significant effects or critical hazards.

Precautionary statements

Prevention
Response
Storage
Disposal
Other hazards which do not

Not applicable.
Not applicable.
Not applicable.
Fefatting to the skin.

result in classification

## 3. Composition/information on ingredients

Substance/mixture Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Ingredient name	%	CAS number	ENCS	ISHL
Sase oil - unspecified	98.13 - 98.328	Varies	(9)-1692	168

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Product nameMpha SP 220Product code456556-SG01Page: 1/8Version2Date of issue2013 July 29Format JapanLanguageENGLISHBuild 4.0.0(Japan)(ENGLISH)

## 4. First-aid measures

Description of necessary first aid measures

minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing.

Check for and remove any contact lenses. Get medical attention.

Inhalation Finhaled, remove to fresh air. Get medical attention if symptoms occur.

Skin contact Wash skin thoroughly with soap and water or use recognised skin cleanser.

Remove contaminated clothing and shoes. Wash clothing before reuse. Clean

shoes thoroughly before reuse. Get medical attention if symptoms occur.

Ingestion on tinduce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

Most important symptoms/effects, acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

Indication of immediate medical attention and special treatment needed, if necessary

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training.

Specific treatments No specific treatment.

# 5. Fire-fighting measures

**Extinguishing media** 

Hazardous thermal

Not suitable Do not use water jet.

Specific hazards arising from

the chemical

n a fire or if heated, a pressure increase will occur and the container may burst.

combustion products may include the following:

decomposition products carbon oxides (CO, CO<sub>2</sub>) (carbon monoxide, carbon dioxide)

sulphur oxides (SO, SO<sub>2</sub>, etc.)

Special protective actions for

fire-fighters

Fromptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without

criteria s'a fire. No action shall be taken involving any personal risk of without

suitable training.

Special protective equipment

for fire-fighters

Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

\_\_\_\_\_

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. Floors may be slippery; use care to avoid falling.

For emergency responders

Fspecialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Product nameMpha SP 220Product code456556-SG01Page: 2/8Version2Date of issue2013 July 29Format JapanLanguageENGLISH

Build 4.0.0 (Japan)

(ENGLISH)

## 6. Accidental release measures

Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

In the case of spillage at sea approved dispersants may be used where authorised by the appropriate government/regulatory authorities.

## 7. Handling and storage

Protective measures Advice on general occupational hygiene Fut on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Not suitable

Prolonged exposure to elevated temperature

# 8. Exposure controls/personal protection

#### Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
Base oil - unspecified	日本産業衛生学会 (Japan). OEL-M: 3 mg/m³ 8 hours. Issued/Revised: 1/1977 Form: Mist

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Appropriate engineering controls

All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.

Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards.

Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.

Product nameMpha SP 220Product code456556-SG01Page: 3/8Version2Date of issue2013 July 29Format JapanLanguageENGLISHBuild 4.0.0(Japan)(ENGLISH)

## 8. Exposure controls/personal protection

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

Hand protection

Wear protective gloves if prolonged or repeated contact is likely. Wear chemical resistant gloves. Recommended: Nitrile gloves. The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

Eye protection Skin protection

Safety glasses with side shields.

Use of protective clothing is good industrial practice. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

# 9. Physical and chemical properties

<u>Appearance</u>

Physical state Liquid.
Colour Clear
Odour Oily.

Auto-ignition temperature
Lower and upper explosive
(flammable) limits

Oxidising properties

Not available.

Not available.

Explosion limits

Vapour pressure

Vapour density

Volatility

Evaporation rate

Critical temperature

Not available.

Not available.

Not available.

Not available.

Product nameMpha SP 220Product code456556-SG01Page: 4/8Version2Date of issue2013 July 29Format JapanLanguageENGLISHBuild 4.0.0(Japan)(ENGLISH)

#### 9. Physical and chemical properties

Viscosity Kinematic: 223.94 mm<sup>2</sup>/s (223.94 cSt) at 40°C

Kinematic: 19.18 mm<sup>2</sup>/s (19.18 cSt) at 100°C

pН Not available. Boiling point / range Not available. Melting point / range Not available. **Drop Point** Not available. Relative Density Not available.

Density 899 kg/m³ (0.899 g/cm³) at 15°C

Solubility insoluble in water. Not available.

Solubility at room temperature

Dispersibility properties Not available.

Partition coefficient (LogKow) >3

Remarks Not available.

## 10. Stability and reactivity

No specific test data available for this product. Refer to Conditions to avoid and Reactivity

Incompatible materials for additional information.

The product is stable. Chemical stability

Inder normal conditions of storage and use, hazardous reactions will not occur. Possibility of hazardous

Under normal conditions of storage and use, hazardous polymerisation will not reactions

Conditions to avoid No specific data.

Incompatible materials Reactive or incompatible with the following materials: oxidising materials.

Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products

products should not be produced.

## **Toxicological information**

### Aspiration hazard

Not available.

Routes of entry anticipated: Dermal, Inhalation. Information on the likely

routes of exposure

Potential acute health effects

Eye contact No known significant effects or critical hazards.

Inhalation Vapour inhalation under ambient conditions is not normally a problem due to low

vapour pressure.

Skin contact Defatting to the skin. May cause skin dryness and irritation.

Ingestion No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact No specific data.

Inhalation May be harmful by inhalation if exposure to vapour, mists or fumes resulting from

thermal decomposition products occurs.

Skin contact Adverse symptoms may include the following:

irritation dryness cracking

Ingestion No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

**Product name** Mpha SP 220 Product code 456556-SG01 Page: 5/8 Version **Date of issue ENGLISH** 2013 July 29 **Format Japan** Language Build 4.0.0 (Japan) (ENGLISH)

## 11. Toxicological information

Potential risk of transient stinging or redness if accidental eye contact occurs. Eve contact

Inhalation verexposure to the inhalation of airborne droplets or aerosols may cause irritation

of the respiratory tract.

Skin contact Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/

or dermatitis.

Ingestion Ingestion of large quantities may cause nausea and diarrhoea.

Potential chronic health effects

General No known significant effects or critical hazards. Carcinogenicity No known significant effects or critical hazards. Mutagenicity No known significant effects or critical hazards. **Teratogenicity** No known significant effects or critical hazards. **Developmental effects** No known significant effects or critical hazards. Fertility effects No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

#### **Ecological information** 12.

his product shows a low bioaccumulation potential. **Environmental effects** 

Expected to be biodegradable. Persistence and degradability

Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the

environment.

Spillages may penetrate the soil causing ground water contamination. Mobility

Spills may form a film on water surfaces causing physical damage to organisms. Other ecological information

Oxygen transfer could also be impaired.

# 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## 14. Transport information

	IMDG	IATA
UN number	Not regulated.	Not regulated.
UN proper shipping name	-	-
Transport hazard class(es)	-	-

**Product name** Mpha SP 220 Product code 456556-SG01 Page: 6/8 Version **Date of issue ENGLISH** 2013 July 29 **Format Japan** Language Build 4.0.0 (Japan) (ENGLISH)

# 14. Transport information Packing group Environmental hazards Mo. Mo. Additional information

Special precautions for user Not available.

# 15. Regulatory information

#### **Fire Service Law**

Dangerous substance classes Class 4: Type 4 petroleum Designated quantity 6000 L

Danger class III

**ISHL** 

Label requirements

None of the components are listed.

#### Chemicals requiring notification

Ingredient name	Name on list	CAS no.	Conc.		Reference number
Sase oil - unspecified	Mineral oil		98.13 - 98. 328	Listed	168

#### Pollutant Release and Transfer Registers (PRTR)

None of the components are listed.

This SDS is updated according to amended PRTR Law.

Other regulations

Japan inventory (ENCS) All components are listed or exempted.

United States inventory All components are listed or exempted.

(TSCA 8b)

REACH Status For the REACH status of this product please consult your company contact, as

identified in Section 1.

Australia inventory (AICS)

Canada inventory

China inventory (IECSC)

Korea inventory (KECI)

Philippines inventory

All components are listed or exempted.

(PICCS)

## 16. Other information

**History** 

Date of issue/Date of revision 29/07/2013. Date of previous issue 02/01/2009.

Prepared by Product Stewardship

Product nameMpha SP 220Product code456556-SG01Page: 7/8Version2Date of issue2013 July 29Format JapanLanguageENGLISHBuild 4.0.0(Japan)(ENGLISH)

## 16. Other information

The Japan key to abbreviations is as follows:

GHS = Global Harmonized System

CAS Number = Chemical Abstracts Service Registry Number

ISHL = Industrial Safety and Health Law

OSHL = Occupational Safety and Health Law

PRTR = Law Concerning Reporting of the Release into the Environment of Specific

Chemical Substances and Promoting Improvements in Their Management

ENCS = Existing and New Chemical Substances

METI = Ministry of Economy, Trade and Industry

OEL = Occupational Exposure Limit

JSOH = Japan Society for Occupational Health

TWA = Time weighted average

STEL = Short term exposure limit

IMDG = International Maritime Organization Rules, rules governing shipment of goods by water.

IATA = International Air Transport Association, the organization

UN Number = United Nations Number, a four digit number assigned by the United

Nations Committee of Experts on the Transport of Dangerous Goods.

#### Indicates information that has changed from previously issued version.

#### Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product nameMpha SP 220Product code456556-SG01Page: 8/8Version2Date of issue2013 July 29Format JapanLanguageENGLISHBuild 4.0.0(Japan)(ENGLISH)