



## MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS # : 38134

# NEVASTANE LUBE AEROSOL

Date of the previous version: 2013-05-22

Revision Date: 2013-05-22

Version 2.01

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

<b>Product name</b>	<b>NEVASTANE LUBE AEROSOL</b>
<b>Number</b>	PC4
<b>Pure substance/mixture</b>	Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Grease for incidental food contact.
------------------------	-------------------------------------

#### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	TOTAL LUBRIFIANTS 562 Avenue du Parc de L'île 92029 Nanterre Cedex Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71
-----------------	--

#### For further information, please contact:

<b>Contact Point</b>	HSE
<b>E-mail Address</b>	rm.msds-lubs@total.com

#### 1.4. Emergency telephone number

+33 1 49 00 00 49 (24h/24, 7d/7)  
 France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59  
 In France : - PARIS : Hôpital Fernand Widal 200, rue du Faubourg Saint-Denis 75475 Paris Cédex 10 , Tel : 01.40.05.48.48. -  
 MARSEILLE : Hopital Salvator, 249 bd Ste Marguerite 13274 Marseille cedex 5, Tel : 04.91.75.25.25. - LYON : Hopital Edouard  
 Herriot, 5 place d'Arsonvol, 69437 Lyon cedex 3, Tel : 04.72.11.69.11. - NANCY : Hopital central, 29 Av du Mal De Lattre de  
 Tassigny, 54000 Nancy, Tel : 03.83.32.36.36 ou le SAMU : Tel ( 15 )

### 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

##### **REGULATION (EC) No 1272/2008**

*For the full text of the H-Statements mentioned in this Section, see Section 2.2.*

##### **DIRECTIVE 67/548/EEC or 1999/45/EC**

*For the full text of the R-phrases mentioned in this Section, see Section 16*

SDS # : 38134

## NEVASTANE LUBE AEROSOL

Revision Date: 2013-05-22

Version 2.01

The substance/mixture is classified as dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments

**Symbol(s)**

F+ - Extremely flammable

N - Dangerous for the environment

**Classification**

F+;R12 - R66 - R67 - N;R51-53

### 2.2. Label elements

Labelled according to

Directive 1999/45/EC



F+ - Extremely flammable



N - Dangerous for the environment

**R-phrases(s)**

R12 - Extremely flammable

R66 - Repeated exposure may cause skin dryness or cracking

R67 - Vapors may cause drowsiness and dizziness

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

**S-phrases(s)**

S 2 - Keep out of the reach of children

S16 - Keep away from sources of ignition - No smoking

S23 - Do not breathe spray

S24 - Avoid contact with skin

S51 - Use only in well ventilated areas

S57 - Use appropriate container to avoid environmental contamination

S61 - Avoid release to the environment. Refer to special instructions/safety data sheets

Pressurized container: Protect from sunlight and do not expose to temperatures exceeding 50°C (122 °F). Do not pierce or burn, even after use

Do not spray on a naked flame or any other incandescent material

Restricted to professional users.

### 2.3. Other hazards

**Physical-Chemical Properties**

Aerosol: Pressurised container. This product contains a flammable component.

**Environmental properties**

Should not be released into the environment.



SDS # : 38134

# NEVASTANE LUBE AEROSOL

Revision Date: 2013-05-22

Version 2.01

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixture

Chemical Name	EC-No	REACH registration No	CAS-No	Weight %	Classification (Dir. 67/548)	Classification (Reg. 1272/2008)
Hydrocarbons, C8-C9, isoalkanes	932-020-9	01-2119548395-31	^	<100	R10 Xn;R65 R66 R67 N;R51-53	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) STOT SE 3 (H336) Aquatic Chronic 2 (H411)
carbon dioxide	204-696-9	no data available	124-38-9	10	-	

**Additional information** Propellent gas Carbon dioxide

**For the full text of the R-phrases mentioned in this Section, see Section 16**  
**For the full text of the H-Statements mentioned in this Section, see Section 16.**

## 4. FIRST AID MEASURES

### 4.1. Description of first-aid measures

<b>General advice</b>	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE. Show this material safety data sheet to the doctor in attendance.
<b>Eye contact</b>	Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse.
<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth.
<b>Protection of First-aiders</b>	Use personal protective equipment.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Eye contact</b>	Not classified.
<b>Skin contact</b>	Repeated exposure may cause skin dryness or cracking.
<b>Inhalation</b>	Vapors may cause drowsiness and dizziness.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

SDS # : 38134

## NEVASTANE LUBE AEROSOL

Revision Date: 2013-05-22

Version 2.01

**Notes to physician** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

**Suitable Extinguishing Media** Cool containers / tanks with water spray. Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray. Alcohol-resistant foam. Foam. ABC powder.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire.

#### 5.2. Special hazards arising from the substance or mixture

**Special Hazard** Vapors may form explosive mixtures with air. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Flash back possible over considerable distance. Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.

#### 5.3. Advice for fire-fighters

**Special protective equipment for fire-fighters** In the event of fire and/or explosion do not breathe fumes. Use personal protective equipment. In the event of fire, wear self contained breathing apparatus.

**Other information** Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

**General Information** Use personal protective equipment. Remove all sources of ignition. Heat, flames and sparks. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges. Avoid contact with eyes. Avoid breathing vapors or mists. Do not touch or walk through spilled material.

#### 6.2. Environmental precautions

SDS # : 38134

## NEVASTANE LUBE AEROSOL

Revision Date: 2013-05-22

Version 2.01

### General Information

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevention of fire and explosion. A vapor suppressing foam may be used to reduce vapors. Try to prevent the material from entering drains or water courses. Do not allow material to contaminate ground water system. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

### 6.3. Methods and materials for containment and cleaning up

#### Methods for cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Use clean non-sparking tools to collect absorbed material.  
Contents under pressure.  
Do not puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top of can.  
Keep in suitable, closed containers for disposal. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 6.4. Reference to other sections

**Personal Protective Equipment** See Section 8 for more detail.

**Waste treatment** See section 13.

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### Advice on safe handling

To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Prevent the formation of vapors, mists and aerosols. When using, do not eat, drink or smoke. For personal protection see section 8. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 122 °F. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. There is a hazard associated with rags, paper or any other material used to remove spills which become soaked with product. Avoid accumulation of these: they are to be disposed off safely after use. Do not stick pin or any other sharp object into opening on top of can.

SDS # : 38134

# NEVASTANE LUBE AEROSOL

Revision Date: 2013-05-22

Version 2.01

**Prevention of fire and explosion** Keep away from open flames, hot surfaces and sources of ignition. Design installations (machinery and equipment) to prevent burning product from spreading (tanks, retention systems, interceptors (traps) in drainage systems). OPERATE ONLY ON COLD AND DEGASSED TANKS IN VENTILATED PREMISES (TO AVOID RISK OF EXPLOSION). Do not use compressed air for filling, discharging or handling. Empty containers may contain flammable or explosive vapors.

**Hygiene measures** When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Use personal protective equipment as required. Wash hands before breaks and at the end of workday. Wash hands with water as a precaution. Avoid breathing vapors, mist or gas. Avoid extended and repeated contact with the skin as this may cause skin conditions, which may also be aggravated by minor injuries or by contact with soiled clothing. Avoid prolonged and repeated contact with the skin, especially with used or waste product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

## 7.2. Conditions for safe storage, including any incompatibilities

**Technical measures/Storage conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. For safety reasons in case of fire, cans should be stored separately in closed containments.

**Materials to Avoid** Strong oxidizing agents.

## 7.3. Specific end uses

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

**Exposure limits** oil mist : 10mg/m<sup>3</sup>, for 15 minutes oil mist : 5mg/m<sup>3</sup>, for 8 hours

Chemical Name	European Union
carbon dioxide 124-38-9	TWA 5000 ppm TWA 9000 mg/m <sup>3</sup>

**Legend** See section 16

### DNEL Worker (Industrial/Professional)

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Hydrocarbons, C8-C9, isoalkanes ^			773 mg/kg bw/day (dermal) 2035 mg/m <sup>3</sup> /8h (inhalation)	

### DNEL Consumer

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
---------------	------------------------------	---------------------------	-----------------------------	--------------------------



SDS # : 38134

# NEVASTANE LUBE AEROSOL

Revision Date: 2013-05-22

Version 2.01

Hydrocarbons, C8-C9, isoalkanes ^			699 mg/kg bw/day (dermal) 608 mg/m <sup>3</sup> /24h (inhalation) 699 mg/kg bw/day (oral)	
---	--	--	---	--

## 8.2. Exposure controls

### Occupational Exposure Controls

#### Engineering Measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

#### Personal Protective Equipment

##### General Information

Protective engineering solutions should be implemented and in use before personal protective equipment is considered.

##### Respiratory protection

When using a mask or half mask :. Respirator with a vapor filter (EN 14387). Type AX. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

##### Eye Protection

If splashes are likely to occur, wear:. Safety glasses with side-shields.

##### Skin and body protection

Antistatic boots. Long sleeved clothing. Wear fire/flammable resistant/retardant clothing. Impervious gloves. Extended and repeated contacts with skin can cause skin ailments which may be aggravated by minor injuries or contact with soiled clothing.

##### Hand Protection

Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

### Environmental exposure controls

#### General Information

Do not allow material to contaminate ground water system.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Color colorless  
Physical State @20°C Aerosol  
Odor Slight

Property	Values	Remarks	Method
----------	--------	---------	--------

SDS # : 38134

# NEVASTANE LUBE AEROSOL

Revision Date: 2013-05-22

Version 2.01

pH		Not applicable	
Boiling point/boiling range	145 °C 293 °F		
Flash point	32 °C 90 °F		Closed cup Closed cup.
Evaporation rate		No information available	
Flammability Limits in Air		No information available	
Vapor Pressure		No information available	
Vapor density		No information available	
Density	795 kg/m <sup>3</sup>	@ 25 °C	
Water solubility		Not applicable	
Solubility in other solvents		No information available	
logPow		No information available	
Autoignition temperature	240 °C 464 °F		
Viscosity, kinematic		No information available	
Explosive properties	May form explosive mixtures with air		
Oxidizing Properties	Not applicable		
Possibility of hazardous reactions	Not applicable		

## 9.2. Other information

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

### 10.2. Chemical stability

**Stability** Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous Reactions** No information available.

### 10.4. Conditions to Avoid

**Conditions to Avoid** Heat, flames and sparks. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges.

### 10.5. Incompatible Materials

**Materials to Avoid** Strong oxidizing agents.

### 10.6. Hazardous Decomposition Products

**Hazardous Decomposition Products** Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.





SDS # : 38134

# NEVASTANE LUBE AEROSOL

Revision Date: 2013-05-22

Version 2.01

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity Local effects Product Information

- Skin contact** . Repeated exposure may cause skin dryness or cracking.
- Eye contact** . Not classified.
- Inhalation** . Vapors may cause drowsiness and dizziness.
- Ingestion** . Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrocarbons, C8-C9, isoalkanes	LD50 > 7100 mg/kg bw (rat - OECD 401)	LD50 (24h) > 2200 mg/kg bw (rabbit)	LC50 (4h) = 17300 -23300 mg/m <sup>3</sup> (vapour) (rat - OECD 403)

#### Sensitization

**Sensitization** Not classified as a sensitizer.

#### Specific effects

**Carcinogenicity** This product is not classified carcinogenic.

**Mutagenicity** This product is not classified as mutagenic.

**Reproductive toxicity** This product does not present any known or suspected reproductive hazards.

**Repeated Dose Toxicity**

**Subchronic toxicity** No information available.

#### Target Organ Effects (STOT)

**Target Organ Effects (STOT)** No information available.

#### Other information

**Other adverse effects** Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



SDS # : 38134

## NEVASTANE LUBE AEROSOL

Revision Date: 2013-05-22

Version 2.01

**Acute aquatic toxicity - Product Information**

No information available.

**Acute aquatic toxicity - Component Information**

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Hydrocarbons, C8-C9, isoalkanes ^	ErL50 (72h) = 10-30 mg/l (Pseudokirchneriella subcapitata - OECD 201) EbL50 (72h) = 10-30 mg/l (Pseudokirchneriella subcapitata - OECD 201) NOELR (72h) = 6,3 mg/l (Pseudokirchneriella subcapitata - biomass - OECD 201) NOELR (72h) = 6,3 mg/l (Pseudokirchneriella subcapitata - growth rate - OECD 201)	EL50 (48h) = 2,4 mg/l (Daphnia magna)	LL50 (96h) = 18,4 mg/l (Oncorhynchus mykiss - OECD 203)	

**Chronic aquatic toxicity - Product Information**

No information available.

**Chronic aquatic toxicity - Component Information**

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Hydrocarbons, C8-C9, isoalkanes ^		NOELR (21d) = 1 mg/l (Daphnia magna - OECD 211)	NOELR (28d) = 0,46 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	

**Effects on terrestrial organisms**

No information available.

12.2. Persistence and degradability**General Information**

No information available.

12.3. Bioaccumulative potential**Product Information**

No information available.

**logPow**

No information available

**Component Information**12.4. Mobility in soil**Soil**

No information available.



SDS # : 38134

# NEVASTANE LUBE AEROSOL

Revision Date: 2013-05-22

Version 2.01

<b>Air</b>	No information available.
<b>Water</b>	The product is insoluble and floats on water.

## 12.5. Results of PBT and vPvB assessment

<b>PBT and vPvB assessment</b>	No information available.
--------------------------------	---------------------------

## 12.6. Other adverse effects

## 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

<b>Waste from Residues / Unused Products</b>	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.
<b>Contaminated packaging</b>	Empty containers may contain flammable or explosive vapors. Do not burn, or use a cutting torch on, the empty drum. Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>EWC Waste Disposal No.</b>	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

## 14. TRANSPORT INFORMATION

### ADR/RID

<b>UN/ID No</b>	UN1950
<b>Proper shipping name</b>	AEROSOLS
<b>Proper shipping name</b>	AEROSOLS
<b>Hazard class</b>	2
<b>ADR/RID-Labels</b>	2.1
<b>Environmental hazard</b>	Yes
<b>Classification Code</b>	5F
<b>Special Provisions</b>	327, 625, 344, 190
<b>Tunnel Restriction Code</b>	(D)
<b>Description</b>	UN1950, AEROSOLS, 2.1, (D),
<b>Excepted Quantity</b>	E0
<b>Limited quantity</b>	1 L

### IMDG/IMO

<b>UN/ID No</b>	UN1950
-----------------	--------



SDS # : 38134

## NEVASTANE LUBE AEROSOL

Revision Date: 2013-05-22

Version 2.01

<b>Proper shipping name</b>	Aerosols
<b>Hazard class</b>	2
<b>Marine Pollutant</b>	P
<b>EmS No.</b>	F-D, S-U
<b>Description</b>	UN1950, Aerosols, 2.1 (See SP63), (32°C c.c.), Marine Pollutant, Limited Quantity
<b>Special Provisions</b>	63,190, 277, 327, 344, 959
<b>Excepted Quantity</b>	E0
<b>Limited quantity</b>	See SP277

ICAO/IATA

<b>UN/ID No</b>	UN1950
<b>Proper shipping name</b>	Aerosols, flammable
<b>Hazard class</b>	2.1
<b>ERG Code</b>	10L
<b>Special Provisions</b>	A145, A167, A802
<b>Description</b>	UN1950, Aerosols, flammable, 2.1
<b>Excepted Quantity</b>	E0
<b>Limited quantity</b>	30 kg G

ADN

<b>UN/ID No</b>	UN1950
<b>Proper shipping name</b>	AEROSOLS
<b>Proper shipping name</b>	AEROSOLS
<b>Hazard class</b>	2
<b>Environmental hazard</b>	Yes
<b>Classification Code</b>	5F
<b>Special Provisions</b>	190, 327, 344, 625
<b>Description</b>	UN1950, AEROSOLS, 2.1,
<b>Excepted Quantity</b>	E0
<b>Limited quantity</b>	1 L
<b>Ventilation</b>	VE01, VE04

## 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

**Other regulations**

Flammability measured according to directive 2008/47/EC

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds



SDS # : 38134

# NEVASTANE LUBE AEROSOL

Revision Date: 2013-05-22

Version 2.01

## International Inventories

EINECS/ELINCS

-

TSCA

-

DSL

-

ENCS

-

IECSC

-

KECL

-

PICCS

-

AICS

-

NZIoC

-

### Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

## Further information

### 15.2. Chemical Safety Assessment

## 16. OTHER INFORMATION

### Full text of R-phrases referred to under sections 2 and 3

R10 - Flammable

R12 - Extremely flammable

R65 - Harmful: may cause lung damage if swallowed

R66 - Repeated exposure may cause skin dryness or cracking

R67 - Vapors may cause drowsiness and dizziness

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

### Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H336 - May cause drowsiness or dizziness

H411 - Toxic to aquatic life with long lasting effects

### Abbreviations, acronyms

#### Legend Section 8

+

Sensitizer

\*

Skin designation

\*\*

Hazard Designation

C:

Carcinogen

M:

Mutagen

R:

Toxic to reproduction



SDS # : 38134

## NEVASTANE LUBE AEROSOL

Revision Date: 2013-05-22

Version 2.01

Revision Date:	2013-05-22
Revision Note	*** Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet