

# CUP GREASE (#2, #3)



GREASE



**TOTAL**

## General Purpose Calcium Grease.

### APPLICATIONS

General purpose calcium grease.

- **CUP GREASE** is a premium quality, general purpose, calcium stearate grease designed for service in small gear boxes, ball and roller type bearings. It is naturally highly resistant to water washout and is fortified with oxidation, and anti-wear additives. It may also be used for low tech applications (form release, slide lubricant).
- **CUP GREASE** contains very light base oil which allows it to operate very well in high speed ball bearings and in cold ambient temperatures.

### ADVANTAGES

- Incorporates anti-wear and anti-oxidation additives.
- Excellent lubricity properties.
- Outstanding water washout resistance.
- Good mechanical and thermal stability.
- Safe for operators and the environment.
- Good pumpability.

### TYPICAL CHARACTERISTICS—CUP GREASE

Grade	2	3
Appearance, Visual	Clear, Yellow	Clear, Amber
Texture, Visual	Smooth, Buttery	Smooth, buttery
Operating Range, °F	-30 - 200	-25-200
Thickener Type	Calcium	Calcium
NLGI Grade	2	3
Penetration Worked, 60x D 217	265 - 295	220-250
Dropping Point, °F (°C), D 2265	185 (85)	185 (85)
Base Oil Properties:		
Viscosity @ 40°C, cSt, D 445	22.0	22
Flash Point, COC, °F, D 92	450	450
Pour Point, °F, D 97	-37	-37

**TOTAL Lubricants USA, Inc.**

**Cup Grease**  
Sheet updated: 8/11/2014

5 North Stiles Street  
Linden, NJ 07036  
908.862.9300 or 800.323.3198  
[www.totallubricantsusa.com](http://www.totallubricantsusa.com)