MULTIS COMPLEX ET MOLY





Multi-purpose, adhesive, lithium complex grease with 5% moly

APPLICATIONS

Adhesive, multi-purpose, extreme pressure industrial & automotive grease

- MULTIS COMPLEX ET MOLY GREASE is designed for the lubrication of all
 applications operating under severe conditions, particularly under high load and
 high temperature conditions in which conventional lithium soap grease is no
 longer sufficient. It contains 5% moly for enhanced extreme pressure
 properties.
- MULTIS COMPLEX ET MOLY GREASE is multi-purpose grease, specially formulated for the lubrication of ball bearings, plain bearings, and roller bearings subjected to impacts and vibrations in transportation, agriculture, and off-road vehicles. These greases are also suitable for general purpose industrial applications requiring high temperature, extreme pressure grease.

SPECIFICATIONS

ISO 6743-9: L-XBGHB-2DIN 51502: KPF2P-20

ADVANTAGES

Durable adhesive film

Contains moly

- Meets a wide variety of requirements and applications.
- Miscible with the majority of other conventional soap greases.
- Durable and resistant to water, pollution, and temperature variations.
- · Very good adhesion to metals.
- · Good mechanical and thermal stability.
- · Excellent anti-rust and anti-corrosion properties.
- High molybdenum disulfide content for enhanced lubrication

TYPICAL CHARACTERISTICS MULTIS COMPLEX ET MOLY GREASE	
NLGI Grade	2
Appearance, visual	Very tacky grey grease
Thickener type	Lithium Complex
Penetration worked 60x (ASTM D 217)	280
Dropping point, °F (°C) ASTM D 2265	530 (278)
4 ball weld load, kg. ASTM D 2596	250
Timken OK load, lbs (ASTM D-2509)	60
Base oil viscosity @ 40°C, cSt ASTM D 445	160
Estimated operating range, °F	0 - 325

Multis Complex ET Moly Grease TOTAL Lubricants USA/2nc.